


1.933  
SW 7  
Cap 3

UNITED STATES DEPARTMENT OF AGRICULTURE  
Rural Electrification Administration  
4315 South Office Building  
Washington 25, D.C.



# SURPLUS-WAR-PROPERTY

## ITEMS OF INTEREST TO REA-BORROWERS

SPEEDY ACTION-ESSENTIAL  
IF YOU DESIRE THESE MATERIALS

January 9, 1946

MATERIAL: ELECTRICAL EQUIPMENT

CONDITION: As shown below.

PRICE: As shown below, f.o.b. Carrier.

TIME LIMIT: January 17, 1946

ORDER INSTRUCTIONS: Mail orders to us in Duplicate with Vendor's name and address space left BLANK, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Orders will be processed in order of receipt, subject to prior sale.

ITEM	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
1	1801	CONNECTOR, solderless, split bolt type, copper for #3 strand and #2 solid wire Reliable #F60SC	Tullahoma, Tennessee	\$0.12
		CONDITION: NEW-EXCELLENT		
2	181	INSULATOR, strain spool, Ohio Brass #36140, wet, process, 4" dia. 4 1/8" high, 13/16" hole, Brown Glazed porc.	"	0.10
		CONDITION: NEW-EXCELLENT		
3	124	INSULATOR, strain spool, wet process 4" dia. 4 1/8" high, 13/16" hole, white glazed porc. Ohio Brass 36140	"	0.10
		CONDITION: NEW-EXCELLENT		
4	154	INSULATORS, spool, brown porc, 13/16" pin hole, 4" dia. 4 1/8" high, similar to Ohio Brass #36140	"	0.10
		CONDITION: NEW-GOOD		
5	181	INSULATOR, King Pin Silent type, brown glazed porc. 5" base 5 3/4" high 1 3/8" pin hole, dry flashover 85, wet flashover 55, leakage distance 12 1/2", dry arcing distance 7", Ohio Brass #34952	"	0.35
		CONDITION: NEW-EXCELLENT		



ITEM	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
6	121	INSULATOR, low voltage, pin type, untreated base 7" high 4 11/16" with 1 3/8" hole, brown glazed porc. Ohio Bras 12852 CONDITION: NEW-GOOD	Tullahoma, Tennessee	\$0.35
7	63	INSULATOR, high voltage, pin type, base 7" high 8 1/2", zinc thread hole 1 3/8" dia. dry flashover 95, wet flashover 65, leakage 13", Pinco 1123, brown glazed porcelain CONDITION: NEW-EXCELLENT	"	1.00
8	6468	ANCHOR AH-1, guy 8" dia. 2 7/8" hole for 1/2", 5/8" anchor rod which is not included, cast iron, cone shaped. CONDITION: NEW-EXCELLENT	Los Angeles, California	0.75
9	21498	CONNECTORS, solderless; Sherman part TS-2 split bolt type; hex head; bronze alloy; for #2 AWG wire Tag TM-7012 -stranded. CONDITION: NEW-EXCELLENT	Philadelphia, Pennsylvania	0.14
10	2	STRAIN CLIMPS, Locke #20284 CONDITION: NEW	Kansas City Missouri	0.50
11	1	STRAIN CLAMP, Locke 20295 CONDITION: NEW	"	0.50
12	286	BOLTS, Angle Thimble eye 5/8" x 14" CONDITION: NEW	"	0.20
13	585	BARREL SLEEVES, #6 B&S Copper CONDITION: NEW	"	0.08
14	327	BARREL SLEEVES, #8 B&S Copper CONDITION: NEW	"	0.07
15	103	BARREL SLEEVES, #6 Sol. Copper CONDITION: NEW	"	0.08
16	22	BARREL SLEEVES, #8 Sol. Copper CONDITION: NEW	"	0.07
17	50	BARREL SLEEVES, #2 Aluminum CONDITION: NEW	"	0.11
18	12	5/8" GROUND ROD CAPS, Type B Clamp CONDITION: NEW	"	0.10
19	49	SPOOL INSULATORS, white #J-101 CONDITION: NEW	"	0.08
20	96	ANCHOR RODS, thimble eye 3/4" x 6" CONDITION: NEW	"	0.75
21	23	CROSS ARMS, 3 3/4 x 4 3/4 x 10' 6 steel pin holes CONDITION: NEW	"	1.00
22	152	TELEPHONE POLES; Wes. Red Cedar-Plain untreated 50' Class 2 CONDITION: NEW	Louisville, Kentucky	31.85
23	8	TELEPHONE POLES; Wes. Red Cedar-Plain Butt untreated 50' Class 2 CONDITION: NEW		31.85



Item	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
24	13	TELEPHONE POLES, SYP-Plain treated 25', Class 4 CONDITION: NEW	Louisville, Kentucky	10.00
25	40	TELEPHONE POLES, SYP-Roofed and gained, treated, 25', Class 4 CONDITION: NEW	"	10.00
26	1170	TELEPHONE POLES, SYP-Plain treated 50', Class 4 CONDITION: NEW	"	30.55
27	2	TELEPHONE POLES, SS-PRUCE, Plain- treated, 50', Class 2 CONDITION: NEW	"	31.85
28	14	TELEPHONE POLES, SS-PRUCE, Gained only-treated, 50', Class 3 CONDITION: NEW	"	31.85
29	4	TELEPHONE POLES, SS-PRUCE, Gained only-treated, 50', Class 3 CONDITION: NEW	"	31.85
30	3	TELEPHONE POLES, SS-PRUCE, Gained only-treated, 50', Class 4 CONDITION: NEW	"	31.85
31	26	TELEPHONE POLES, SS-PRUCE, Roofed and gained-treated, 50', Class 1 CONDITION: NEW	"	31.85
32	3	TELEPHONE POLES, SS-PRUCE, Roofed and gained-treated, 50', Class 2 CONDITION: NEW	"	31.85
33	3	TELEPHONE POLES, SS-PRUCE, Roofed and gained-treated, 50', Class 3 CONDITION: NEW	"	31.85
34	1	TELEPHONE POLE, SS-PRUCE, Roofed and gained-treated, 50', Class 4 CONDITION: NEW	"	31.85

It is recognized that the prices shown for these poles are higher than normally paid. We quoted the disposal agency fifteen percent less than these prices but they had bids that were equal to the prices shown and therefore would not accept any offer from the cooperatives for less.

The disposal agency has refused to hold these poles longer than one week from the date of this note. It is, therefore, urgent that you telegraph your orders immediately upon receipt of this order so that we can notify the disposal agencies and they can clear the yards.

35	11	TELEPHONE POLES, SS-PRUCE, Plain-treat- ed, 25', Class 1 CONDITION: NEW	Louisville, Kentucky	\$10.00
36	61	TELEPHONE POLES, SS-PRUCE, Plain-treat- ed, 25', Class 2 CONDITION: NEW	"	10.00
37	65	TELEPHONE POLES, SS-PRUCE, Plain-treat- ed, 25', Class 3-CONDITION: NEW	"	10.00
38	47	TELEPHONE POLES, SS-PRUCE, Plain-treat- ed, 25', Class 4 CONDITION: NEW	"	10.00
39	35	TELEPHONE POLES, SS-PRUCE, Gained only- treated, 25', Class 1 CONDITION: NEW	"	10.00



ITEM	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
40	69	TELEPHONE POLES, SSPRUCE, gained only treated, 25', Class 2 CONDITION: NEW	Louisville Kentucky	\$10.00
41	103	TELEPHONE POLES, SSPRUCE, gained only treated, 25', Class 3 CONDITION: NEW	"	10.00
42	170	TELEPHONE POLES, SSPRUCE, gained only, treated, 25', Class 4 CONDITION: NEW	"	10.00
43	14	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 25', Class 1 CONDITION: NEW	"	10.00
44	81	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 25', Class 2 CONDITION: NEW	"	10.00
45	75	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 25', Class 3 CONDITION: NEW	"	10.00
46	24	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 4" cross arm (single) already mounted, 25', Class 1 CONDITION: NEW	"	10.00
47	34	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 25', Class 2, 4" single cross arm already mounted CONDITION: NEW	"	10.00
48	60	TELEPHONE POLES, SSPRUCE, roofed and gained, treated, 25', Class 3, 4" single cross arm already mounted CONDITION: NEW	"	10.00
49	22	TELEPHONE POLES, SSPRUCE, roofed and gained, 4" double cross arm already mounted, treated, 25', Class 1 CONDITION: NEW	"	10.00
50	33	TELEPHONE POLES SSPRUCE, roofed and gained, 4" double cross arm already mounted, treated, 25', Class 2 CONDITION: NEW	"	10.00
51	34	TELEPHONE POLES SSPRUCE, roofed and gained, 4" double cross arm already mounted, treated, 25', Class 3 CONDITION: NEW	"	10.00
52	45	TELEPHONE POLES SSPRUCE, roofed and gained, 4" double cross arm already mounted, treated, 25', Class 4 CONDITION: NEW	"	10.00

In all communications to REA concern-  
ing these items, please refer to SWP  
Release: 131

NATIONWIDE Distribution

SWP 131D

J. Warner Pyles, Head  
Surplus War Property Office  
Cooperatives Operations Division



1.933  
Su 7  
Cop 2

UNITED STATES DEPARTMENT OF AGRICULTURE  
Rural Electrification Administration  
Room 4315 South Office Building  
Washington 25, D. C.

# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS


January 17, 1946

MATERIAL: GENERATORS - CONDUIT - WIRE  
CHAIN SAWS - BOLTS - INSULATORS

CONDITION: As shown below.

PRICE: As shown below, f.o.b. Carrier.

TIME LIMIT: January 25, 1946.



ORDER INSTRUCTIONS: Mail orders to us in DUPLICATE with Vendor's name and address space left BLANK, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Orders will be processed in order of receipt, subject to prior sale.

ITEM	QUAN.	DESCRIPTION	LOCATION	UNIT PRICE
1	14	Complete Diesel Generator sets with electrical starting equipment, charging generator, batteries, fuel tank and control cabinet. Mounted on base and steel skid. Totally enclosed by hoods and side panels. This set develops 30 KW-127/220 volts - 3 phase 60 cycles, direct, connected alternating current generator. Model 3016-E Package Power Units. CONDITION: NEW.	Detroit, Michigan	\$2,650.00
2	2,980	Conduit, 1½" rigid, galv. steel, ID-1.610", OD 1.900" 10' lengths, threaded each end, 11½ threads per inch, one coupling per length. CONDITION: NEW - GOOD.	Massena, New York	.12

In all communications to REA concerning these items, please refer to SWP Release: 132 - A


(OVER)



In all communications to REA concerning  
these items, please refer to SWP Release: 132 B

January 17, 1946

ITEM	QUAN.	DESCRIPTION	LOCATION	UNIT PRICE
4		3,388,083 ft. Wire, copper, single conductor, (5,000' reels) bare, stranded, No. 4 AWG, MHD. (gross wgt. 700#) This conductor approved for ground wire on poles or in service entrance conduits. CONDITION: NEW - 7 strand	Spokane, Washington	14.00 cwt.
5	1	Chain Saw, portable, 36" blade, gasolene engine driven, Disston Model G-36 W/spare parts. CONDITION: EXCELLENT	Odgen, Utah	410.50
6	1	Chain Saw, portable, 36" blade gasolene engine driven, Disston Model G-10 W/spare parts. CONDITION: EXCELLENT	Odgen, Utah	360.00
7	1	Chain Saw, portable, 36" blade, gasolene engine driven, Disston Model G-36 W/spare parts. CONDITION: EXCELLENT	Odgen, Utah	360.00
8	1	Chain Saw, portable, 24" blade pneumatic chain type model (T.H.A.) motor T.H.A. 52 tailstock U.A.T.H.S. -372-1 W/spare parts, CONDITION: NEW - EXCELLENT.	Odgen, Utah	310.50
9	1	Chain Saw, portable, 24" blade pneumatic, Reed Prentice Timberhog, CONDITION: GOOD	Odgen, Utah	199.30
10	549	Machine Bolts 5/8" x 18" galv. CONDITION: NEW	Kansas City Missouri	.15
11	4032	Insulators J-101 Spool Type approved in place of J-151 CONDITION: NEW	Kansas City Missouri	.08

  
J. Warner Pyles, Head  
Surplus War Property Office  
Cooperatives' Operations Div.



# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

January 25, 1946

MATERIAL: POLES - LAMPS - CUTOUTS

CONDITION: As shown below.

PRICE: As shown below, f.o.b. Carrier.

TIME LIMIT: Feb. 1, 1946

ORDER INSTRUCTIONS: Mail Orders to us in DUPLICATE with Vendor's name and address space left BLANK, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Order will be processed in order of receipt, subject to prior sale.

ITEM	QUAN.	DESCRIPTION	LOCATION	PRICE
1	12020	POLES, 25 ft. Lengths, Class 7, Pine fully creosoted. New	Wilmington, N.C.	\$5.11 ea.
2	573	POLES, 25 ft. Lengths, Class 7 Pine fully creosoted. New	Wilmington, N.C.	\$5.20 ea.
3	70	POLES, 25 ft. Lengths, Class 6, Pine, fully creosoted. New	Wilmington, N.C.	\$6.30 ea.
4	88	POLES, 25 ft. Lengths, Class 7, Pine, fully creosoted. New	Spartanburg, S.C.	\$5.11 ea.
5	Large (4200 Min. order)	INCANDESCENT LAMPS, General Electric, Standard size; Westinghouse, 25 watts; Sylvania, 120 volts; Champion, "A-19" inside frost, medium base.	Warehouse nearest to requisitioner's address.	\$0.03 ea.

NOTE: Since the Disposal Agency will not honor orders for less than 4200 it will be necessary to group Cooperatives' orders within a state to one or more central locations. Grouping will be made from here to suit orders received. When placing your order, please state whether or not you will accept group billing and make collection from individual Cooperatives.




ITEM	QUAN.	DESCRIPTION	LOCATION	UNIT PRICE
6	66	FUSE CUTOUT, open porcelain drop out type - single shot, 15000 volts, 50 amps., Porcelain Products Co., Cat. No. 2811. Cond: New.	New York	\$8.00 ea.

J. Warner Pyles, Head  
 Surplus War Property Office  
 Cooperatives Operations Division

NATIONWIDE Distribution

SWP 133





# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

January 30, 1946

MATERIAL: HOSE - TARPAULINS - LADDERS - TRANSFORMERS - STEEL ANCHORS

CONDITION: As shown below.

PRICE: As shown below, f.o.b. carrier.

TIME LIMIT: Feb. 8, 1946

ORDER INSTRUCTIONS: Mail Orders to us in DUPLICATE with Vendor's name and address space left BLANK, for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference. Order will be processed in order of receipt, subject to prior sale.

ITEM	QUAN.	DESCRIPTION	LOCATION	UNIT PRICE
1.	300	HOSE, water, braided type, 3/4"X50 ft. Condition - New	Ohio	\$ 3.00 ea.
2.	200	TARPAULINS, 18 ft. X 18 ft. Standard Army specifications, weight, water- proof and fire resistant. Cond.: New	Ohio	\$24.00 ea.

NOTE: Orders previously received from Cooperatives for tarpaulins against SWP Release 104 will be filled with these tarpaulins unless such Cooperatives wire us by Feb.5, 1946, not to do so. The previous orders could not be filled due to the tarpaulins being withdrawn.

3.	250 (Min. order 5)	LADDERS, extension, 15'3" collapsed, butt ladder 18 1/2" wide with 12 rungs 1-1/8" dia. and side rails 1-3/8" wide X 3" deep. Fly ladder has 11 rungs 1-1/8" dia. with side rails 1-3/8" wide X 3" deep. Fly is 15 1/4" wide. Side rails are made of Oregon pine and rungs are made of second growth white ash each capable of supporting 350 lbs. Tie bolts spaced approx. 45" apart. Fly ladder is equipped with automatic safety	Lexington, Ky.	\$ 9.00 ea.
----	-----------------------------	--	-------------------	-------------

In all communications to REA concerning  
these items, please refer to SWP Release: 134

(OVER)



ITEM	QUAN.		LOCATION	UNIT PRICE
3.		lock and raising mechanism. A 3/8" manila rope is used for raising fly. Overall size of ladder collapsed 15'2" long X 18 1/4" wide X 15-1/8" deep. Weight of each - 120 lbs. Condition: In original crates.		
4.	66	TRANSFORMERS, 5 KVA, oil immersed, self-protected, distribution type, single phase, 3300/6600/11,440V primary voltage to 120/240 secondary voltage. Boxed ready for shipment, weighing 538 lbs. Condition: New-Good.	Pasco, Washington	\$80.00 ea.
5.	280	STEEL ANCHORS, Hubbell-Chance Never-creep. 5/8" X 7' rod with 6 X 18 Never-creep plate (Dead-man). Malleable iron. Packed 6 per box, weight 200 lbs. Condition: New-Good.	Pasco, Washington	\$ 1.50 ea.

*J. Warner Pyles*  
 J. Warner Pyles, Head  
 Surplus War Property Office  
 Cooperatives Operations Division

NATIONWIDE Distribution

SPECIAL NOTICE: Last call for following items that appeared on previous releases.

6.	3,268	ANCHOR AH-1, guy 8" dia.w/7/8" hold for 1/2", 5/8" anchor rod which is not included, cast iron, cone shaped. Cond: New-Excellent	Los Angeles, Calif.	\$ 0.75 ea.
7.	19,228	CONNECTORS, solderless: Sherman part TS-2 split bolt type; hex head; bronze alloy; for #2 AWG wire Tag TM-7012-stranded. Cond: New-Excellent	Philadelphia, Pa.	\$ 0.14 ea.
8.	290	CHAIN HOISTS, 1 ton capacity, single chain, 20' lift, hand operated, pendant type, welded chain links, spur geared. Mfg. by Wright Mfg. Div. American Chain and Cable Co., Inc. Cond: New-excellent	San Antonio Texas	\$46.00 ea.

